



Empowering Healthcare Providers for Equitable Technological Futures in Care Delivery

Zainab Hassan Al Dahneem¹, Beshair Saafag Alharbi², Abeer Salem Ghazwani³, Hanan Yousef Al Shayiji⁴, Ali Atallah L. Lafi Alshrari⁵, Ahlam Saadi Alshammari⁶, Faisal Saleh Faisal Alzahrani⁷, Maryam Ali Mjrashi⁸, Alya F. Alshammari⁹, Reham Salman Alanazi¹⁰, Dhabyah Mohsen M. Alanazi¹¹, Bandar Bunaydir Mushkhas Alotaibi¹², Faredh Abdulaziz Hasan Daghri¹³, Ahlam Abdulaziz Ahmed¹⁴

¹ Nursing Technician,, Eastern Health Cluster, Dammam, Saudi Arabia

² Registered Nurse 1, Prince Sultan Military Medical City, Riyadh , Saudi Arabia

³ Senior Nurse Specialist, Tabuk Cluster , Tabuk, Saudi Arabia

⁴ Staff Nurse 2 (SN2) , Prince Sultan Military Medical City , Riyadh, Saudi Arabia

⁵ Health Assistant - Nursing , Tabarjal General Hospital , Al-Jouf, Saudi Arabia

⁶ Senior Specialist , Northern Borders Health Cluster , Arar, Saudi Arabia

⁷ Emergency Medical Technician, King Abdullah Medical Complex, Jeddah Second Healthcare Cluster, Jeddah

⁸ Nursing Technician, Primary Care Center, Al-Dhiba Health Center, Hafar Al-Batin, Saudi Arabia

⁹ Midwife , Maternity and Child Hospital (MCH) , Northern Border (Arar), Saudi Arabia

¹⁰ Nursing Specialist, Rumah General Hospital, Riyadh, Saudi Arabia

¹¹ Nursing Technician, North Tower Medical Center, Arar , Northern Borders, Saudi Arabia

¹² Senior Nursing Specialist, Afeef General Hospital, Riyadh Third Health Cluster , Riyadh , Saudi Arabia

¹³ Nursing Technician, King Faisal Medical Complex (KFMC), Taif, Makkah, Saudi Arabia

¹⁴ Nursing Technician, Madina Maternity and Children Hospital , Madinah Health Cluster, Saudi Arabia

Correspondence: Zainab Hassan Al dahneem, zaldahnem@moh.gov.sa

Abstract

The increasing integration of technology in healthcare presents significant opportunities for improving care delivery, patient outcomes, and operational efficiency. However, the success



of these technological advancements depends largely on healthcare providers' ability to effectively utilize these tools. This study aims to explore healthcare providers' experiences, perceptions, and skill gaps in using technology to deliver care, highlighting the challenges and barriers they encounter in adopting and integrating these innovations.

Through in-depth interviews with healthcare providers from diverse settings, the study gathered insights into their firsthand experiences with healthcare technology. The findings revealed that while many providers recognized the potential of technology to improve care efficiency and patient outcomes, they also faced notable challenges. One key issue was the skill gap, with many providers reporting difficulty in keeping up with rapidly evolving technologies due to inadequate training and ongoing support. This lack of proficiency, in turn, hindered their ability to leverage technology effectively in practice.

In addition to skill gaps, systemic barriers such as limited access to resources, inconsistent technology systems, and time constraints were identified as significant obstacles. These factors created a disconnect between the intended benefits of technology and its actual impact on care delivery. Providers also emphasized the importance of tailored training programs that address the specific needs and skill levels of different healthcare professionals.

The study's findings underscore the need for targeted initiatives to empower healthcare providers with the skills and resources necessary for effective technology use. By addressing these skill gaps and systemic barriers, healthcare systems can foster equitable access to technology, ultimately improving care delivery and patient outcomes.

Keywords: Healthcare Providers, Technological Empowerment, Care Delivery, Digital Health, Technology Adoption, Skill Gaps, Equity in Healthcare, Training Programs, Healthcare Technology Integration, Health IT Systems

1. Introduction

1.1 Introduction and Background

The integration of technology into healthcare has transformed the way services are delivered, pushing the boundaries of traditional care models. This shift, particularly in the context of digital health and virtual care, has led to an increased focus on optimizing patient outcomes through technological innovation. The global adoption of technologies like the Internet of Things (IoT) has revolutionized how healthcare systems operate, offering new ways to collect data and monitor patient health in real-time (Saarikko et al., 2017). Technologies such as telemedicine, digital health platforms, and wearable devices have facilitated remote monitoring, enhancing the quality of care while also offering patients more control over their health (Dang et al., 2019; Mitchell & Kan, 2019). This progress is crucial as healthcare systems worldwide strive to improve access, affordability, and equity in care delivery (Ye et al., 2020).



Digital health technologies have the potential to address the growing challenges in healthcare systems, particularly those arising from rising patient volumes, aging populations, and limited healthcare resources. Virtual healthcare, including telemedicine and online consultations, has become essential in managing patient care more effectively. These innovations can alleviate the burden on healthcare infrastructure by enabling remote patient management, thus improving efficiency and reducing costs (Torous et al., 2020). Furthermore, healthcare providers must be empowered to navigate these emerging technologies, ensuring they can effectively integrate them into their clinical practices. The success of these technologies depends not only on their adoption but also on the competency and readiness of healthcare providers to use them efficiently (Fisk et al., 2020).

The rise of wearable devices, such as smart insulin pens and ECG systems, has further supported healthcare providers by offering tools for continuous monitoring of patient health, enabling proactive interventions (Sangave et al., 2019; Majumder et al., 2018). These devices, along with mobile applications, provide a wealth of data that healthcare providers can use to make informed decisions about patient care. However, to fully capitalize on the benefits of these innovations, providers must possess the necessary skills and knowledge to interpret and act upon the data generated by these technologies. Educating and training healthcare professionals on the use of these tools is crucial to ensuring that they are prepared to deliver high-quality, equitable care in a rapidly evolving technological landscape (Birkhead et al., 2019).

Moreover, the potential of augmented reality (AR) and virtual reality (VR) in healthcare education and treatment is gaining increasing recognition. AR and VR are already being used in medical training and to manage chronic conditions such as pain and anxiety (Tashjian et al., 2017; Chirico et al., 2016). These technologies offer healthcare providers novel ways to engage with patients and provide treatment, especially in areas like mental health and rehabilitation. As these technologies continue to evolve, healthcare professionals must be equipped with the tools and knowledge to incorporate them into their practice effectively. This requires ongoing research, development, and training to ensure healthcare providers are not left behind in this rapidly advancing field (Gerup et al., 2020).

For healthcare systems to truly empower providers and ensure equitable care, a holistic approach to the integration of digital technologies is needed. This includes not only the development and deployment of technologies but also a focus on the training and support of healthcare professionals who will be utilizing them. As healthcare continues to move towards more virtual and digital solutions, ensuring that all healthcare providers are equipped with the skills and knowledge needed to leverage these technologies will be key to creating a more equitable future for care delivery (Levine et al., 2018). The ongoing evolution of digital health



technologies presents an exciting opportunity to transform healthcare, but only if healthcare providers are empowered to embrace these innovations and use them to their full potential.


Methodology

This study employed a qualitative research approach to explore the experiences and perceptions of healthcare providers regarding the adoption and integration of healthcare technology into their practice. A series of in-depth semi-structured interviews were conducted with a purposive sample of healthcare providers, including doctors, nurses, and allied health professionals, from diverse clinical settings, ranging from large hospitals to community-based healthcare centers. The aim was to capture a broad spectrum of experiences across different healthcare contexts and to gather rich, detailed insights into the challenges and opportunities presented by the incorporation of digital health technologies in care delivery.

Participants were selected based on their direct involvement with healthcare technologies such as telemedicine, electronic health records (EHR), wearable devices, and other digital health tools. The criteria for selection included a variety of experience levels with these technologies, ensuring a comprehensive understanding of both early adopters and those still transitioning into these practices. The interviews were designed to elicit detailed responses regarding participants' experiences with these technologies, their perceptions of how these tools impact patient care and outcomes, and the barriers they encounter when attempting to integrate these tools into their daily workflows.

The study was conducted across multiple regions in Saudi Arabia, including urban, rural, and remote settings, to capture a broad spectrum of experiences related to healthcare technology adoption. In urban areas such as Riyadh, Jeddah, and Dammam, healthcare professionals typically work in large hospitals and private institutions with advanced technological infrastructure. These regions benefit from well-established digital health tools, including electronic health records (EHRs) and telemedicine platforms, and healthcare providers here often have more exposure to cutting-edge technologies. Consequently, their experiences with healthcare technology may differ from those in less technologically advanced areas, with access to better resources, training programs, and institutional support facilitating smoother adoption.

In contrast, rural and remote regions, including areas like Asir, Jazan, and Najran, face distinct challenges in adopting healthcare technology due to limited infrastructure, outdated equipment, and resource constraints. Healthcare providers in these regions often encounter barriers such as poor internet access, lack of training opportunities, and inadequate technical support. Despite these challenges, the rise of mobile health initiatives and telemedicine services has made inroads into these areas, offering opportunities for improvement in healthcare delivery. By including participants from both urban and rural regions, the study offers a comprehensive



understanding of how regional disparities in healthcare infrastructure and training affect the adoption and use of digital health tools across Saudi Arabia.

The interviews were conducted using a semi-structured format, with open-ended questions allowing participants to share their perspectives in their own words. The interview guide focused on four main areas: 1) the role of healthcare technology in improving care delivery; 2) the perceived benefits and challenges of using technology in practice; 3) training and support mechanisms available for technology adoption; and 4) the organizational and systemic factors that influence the successful integration of these tools. This format allowed for flexibility in the conversation, enabling the interviewer to probe deeper into specific issues as they arose during the interview process.

Thematic analysis was employed to analyze the interview data. This method involved transcribing all interviews verbatim and then coding the data to identify key themes and patterns. The analysis process followed Braun and Clarke's (2006) six-step approach to thematic analysis: familiarization with the data, generating initial codes, searching for themes, reviewing themes, defining and naming themes, and writing the final report. Thematic analysis was chosen because it allows for the identification of both explicit and nuanced themes across the data, offering insights into the diverse experiences and perceptions of healthcare providers.

To ensure the validity and reliability of the findings, the data analysis was conducted iteratively, with themes and codes revisited and refined as more data was reviewed. The results were also cross-checked with existing literature to ensure consistency with broader trends in the field of healthcare technology adoption. To enhance trustworthiness, member checking was employed, where key findings and interpretations were shared with a subset of the participants for their feedback and validation. This helped confirm the accuracy of the identified themes and ensured that the participants' voices were authentically represented in the final analysis.

In addition to the primary data collection, contextual factors such as institutional support, technological infrastructure, and resource availability were considered during the analysis, allowing for a more comprehensive understanding of the systemic barriers and enablers affecting the integration of technology in healthcare settings. The findings from this study aim to inform the development of targeted interventions and training programs that can address the identified skill gaps and systemic challenges, ultimately empowering healthcare providers to effectively use digital health technologies in their practice.

3.0 Results

The results of the interviews revealed a range of experiences from healthcare providers in various regions of Saudi Arabia, shedding light on the perceptions, challenges, and opportunities related to healthcare technology. The following sections outline key findings



from the responses to the interview questions, with a focus on common themes that emerged across different settings.

Perceptions of Healthcare Technology

One of the primary questions posed to participants was: *How do you perceive the impact of technology on healthcare delivery in your practice?* In response, many participants, especially those from urban areas, expressed a positive outlook on the potential of healthcare technology to improve patient care and operational efficiency. A participant from Riyadh stated, "Technology has enabled us to manage patient data more effectively, improving the accuracy of diagnoses and treatments." Another participant noted that telemedicine platforms have allowed for quicker consultations, particularly for patients in remote areas, enhancing healthcare accessibility. However, some participants in rural regions, such as Asir and Jazan, were more cautious in their response, with one participant mentioning, "While I see the benefits, the lack of consistent internet access often hinders the full potential of these tools."

Challenges in Adoption

Participants were also asked: *What challenges have you faced in adopting new healthcare technologies?* The responses highlighted systemic barriers, including limited resources and inadequate infrastructure. Many healthcare providers in rural areas pointed to unreliable internet connections and a lack of devices or technical support as significant obstacles. One participant from Najran shared, "We have the tools available, but they don't always work due to poor connectivity. It becomes frustrating when technology cannot be relied upon during critical situations." Similarly, participants in urban settings acknowledged challenges but were more likely to identify gaps in training and technical support. A participant from Damman commented, "While we have the infrastructure in place, there is often insufficient training on how to use these tools effectively."

Skill Gaps and Training Needs

Another key question asked was: *What skills are required to effectively use healthcare technologies in your practice?* The answers revealed a widespread concern about skill gaps. Many participants expressed the need for continuous education and training to stay updated with new technological advancements. A participant from Jeddah explained, "New software and tools are being introduced regularly, but there is little formal training. We often learn through trial and error, which can lead to inefficiencies." Similarly, a participant from a rural area in Asir stated, "We need tailored training programs that consider our specific work environments and resources. One-size-fits-all training doesn't work in our context." These findings suggest that healthcare professionals require not only basic technical training but also ongoing development to ensure they can adapt to emerging technologies.



Systemic Barriers to Integration

Participants were also asked: *What systemic factors have hindered the integration of healthcare technology into your practice?* Many healthcare providers identified organizational challenges, such as the lack of standardization in digital health systems across hospitals and clinics. A participant from Riyadh remarked, “Each hospital seems to have its own system for managing patient data, making it difficult to exchange information efficiently.” This lack of integration often leads to delays in patient care and administrative inefficiencies. Healthcare providers in rural areas also cited financial constraints as a major barrier. A participant from Jazan shared, “The costs of implementing new technologies are high, and there is often no budget allocated for ongoing maintenance or upgrades.”

Patient Perceptions and Acceptance

When asked: *How do your patients perceive the use of technology in their care?* responses varied based on the region and the level of technological integration. In urban areas, patients were generally more accepting of technology, with many appreciating the convenience of telemedicine consultations and the ease of accessing their health records online. A participant from Dammam shared, “Patients are more tech-savvy here, and many appreciate the convenience of online appointments.” However, in rural areas, healthcare providers reported that patients were sometimes hesitant to embrace technology. A participant from Asir noted, “Many of our older patients are not comfortable using telemedicine services and prefer face-to-face consultations. We need to educate them on the benefits of these tools.”

Recommendations for Improvement

Healthcare providers were also asked: *What recommendations would you make to improve the integration of technology into healthcare delivery?* Several participants emphasized the need for more tailored and region-specific solutions. Many suggested that training programs should be designed to address the unique needs of different regions. A participant from Riyadh recommended, “We need more specialized training that focuses on practical, hands-on skills, rather than just theoretical knowledge.” In rural regions, participants suggested that government initiatives could help bridge the digital divide. One participant from Najran stated, “Government support for internet infrastructure and financial assistance for acquiring technology would help us overcome some of the barriers we face.”

Impact on Future Healthcare Delivery

Finally, participants were asked: *How do you envision the role of technology in the future of healthcare delivery in Saudi Arabia?* Responses indicated optimism about the potential for healthcare technology to revolutionize patient care, but many stressed that the success of these advancements depends on overcoming current challenges. A participant from Jeddah concluded, “In the future, I believe technology will be at the heart of healthcare delivery, but



only if we address the gaps in training, infrastructure, and support.” This sentiment was echoed by several participants, who expressed hope that with targeted efforts, technology could help create more efficient, equitable, and accessible healthcare systems across the country.

4.0 Discussion

The findings of this study highlight significant variations in the experiences of healthcare providers across different regions of Saudi Arabia regarding the integration of healthcare technologies into their practice. The perceptions of technology's impact on healthcare delivery varied considerably, reflecting both optimism and concerns related to the infrastructure, training, and support systems available in different settings. These results align with the findings of Almutairi et al. (2022) and Al-Dubai et al. (2020), who noted that while healthcare providers in urban areas are generally more positive about the role of technology, those in rural regions face significant barriers related to infrastructure, limited access to resources, and insufficient internet connectivity. These systemic barriers are consistent with those identified in studies by Al-Fraihat et al. (2021), which emphasize the importance of addressing disparities in healthcare access between urban and rural regions to ensure equitable healthcare delivery.

The concerns regarding skill gaps and the need for tailored training align with the findings of other studies in the field, such as those by Al-Hazmi et al. (2020), who emphasized the importance of continuous training and professional development to help healthcare providers navigate rapidly evolving technological landscapes. Participants in this study highlighted the need for more specialized training programs that address the unique challenges faced by healthcare providers in different regions, which aligns with recommendations from previous studies (Al-Zahrani et al., 2021). These studies suggest that training programs must not only focus on the technical aspects of using digital tools but also be contextualized to the specific work environments in which healthcare providers operate, particularly in rural or less-resourced settings. This reflects the argument made by Al-Kuwari et al. (2022), who advocated for region-specific solutions to improve the efficacy of healthcare technology adoption.

Systemic barriers to integration, such as the lack of standardized systems and financial constraints, were also prevalent across the regions studied. The issue of inconsistent digital health systems, which hinder information exchange and collaboration between healthcare providers, has been widely documented in the literature (Al-Tawfiq et al., 2022). For example, a study by Alswaidi et al. (2021) highlighted the challenges faced by healthcare providers when attempting to share patient data across institutions, particularly in regions where digital health infrastructure is not fully integrated. This lack of standardization is a major barrier to the efficient use of healthcare technology and underscores the need for a unified national strategy to guide the development of healthcare technology infrastructure in Saudi Arabia, as suggested by Al-Rashid et al. (2021).



Patient acceptance of healthcare technology is another critical factor influencing its successful integration, as reflected in the findings of this study. The differing levels of comfort with telemedicine and other digital health tools among patients in urban and rural areas have been noted in previous research (Al-Shehri et al., 2020). In urban areas, patients are more familiar with digital technologies, which makes the adoption of telemedicine and electronic health records (EHRs) more seamless. In contrast, rural patients, particularly older individuals, often prefer face-to-face interactions and are reluctant to embrace technological advancements. These findings support those of Al-Omari et al. (2020), who found that patient trust in digital health technologies is often influenced by age, education, and prior experience with technology. Efforts to improve patient education and increase awareness about the benefits of digital health technologies could help overcome some of these barriers, as suggested by Alharthi et al. (2023).

The recommendations made by healthcare providers for improving the integration of technology into healthcare delivery, such as increasing government support for infrastructure development and providing more context-specific training, reflect similar recommendations in the literature. A study by Al-Tamimi et al. (2021) called for more investment in internet connectivity, particularly in rural areas, to reduce the digital divide and ensure that healthcare providers can fully utilize the potential of telehealth and other digital tools. Moreover, the importance of specialized, hands-on training is echoed by several authors, including Al-Sobayel et al. (2020), who noted that healthcare professionals require ongoing education to stay current with new technologies and practices. This highlights the need for policy initiatives that focus on professional development and the provision of resources for training in healthcare settings across Saudi Arabia.

Finally, the optimism expressed by participants regarding the future role of technology in healthcare delivery reflects broader trends in the literature, which suggests that the future of healthcare will be increasingly shaped by technological innovations. Al-Dubai et al. (2020) noted that the integration of digital health tools, such as telemedicine and EHRs, is poised to revolutionize the way healthcare is delivered in Saudi Arabia, especially if efforts are made to address the existing challenges. However, the success of these technologies will depend on overcoming barriers related to training, infrastructure, and patient acceptance, as highlighted in the current study. Moving forward, it is crucial for policymakers, healthcare providers, and technology developers to collaborate in creating tailored solutions that can enhance the delivery of healthcare services while ensuring equitable access for all populations.

In conclusion, this study underscores the complex and multifaceted nature of healthcare technology adoption in Saudi Arabia. The varying experiences of healthcare providers across different regions highlight the need for region-specific solutions and targeted interventions to ensure the effective integration of technology into healthcare delivery. Addressing systemic



barriers, enhancing training programs, improving patient acceptance, and investing in infrastructure are critical steps toward empowering healthcare providers and ensuring a more equitable technological future in care delivery. The findings also suggest that further research is needed to explore the long-term impacts of healthcare technology on both providers and patients, particularly in terms of quality of care, patient outcomes, and cost-effectiveness.

Limitation:

While this study provides valuable insights into the experiences and perceptions of healthcare providers regarding the integration of technology in care delivery, several limitations must be acknowledged. First, the sample size, although diverse, was limited to healthcare providers from selected regions of Saudi Arabia, which may not fully represent the broader healthcare workforce across the entire country. The findings are therefore not necessarily generalizable to all healthcare providers in Saudi Arabia, particularly in more remote or underserved areas that were not included in this study. Future research could benefit from a larger, more representative sample to capture a wider range of experiences and perspectives.

Second, this study relied on self-reported data collected through in-depth interviews. While qualitative interviews allow for detailed insights, they are inherently subjective, and participants' responses may have been influenced by personal biases or social desirability, especially when discussing sensitive issues such as limitations in training or infrastructure. Additionally, the timing of the interviews may have affected the responses, as healthcare providers' views on technology adoption could evolve over time, particularly as new technologies are introduced or policy changes occur.

Lastly, the study primarily employed thematic analysis to identify key themes, which, while providing rich qualitative insights, may have missed nuanced details or the complexity of some issues. The reliance on qualitative methods means that the study's findings are based on the interpretations of the researchers, and other analysts may identify different themes or draw different conclusions from the same data. To strengthen the findings, future studies could combine qualitative approaches with quantitative methods to triangulate results and provide a more comprehensive analysis of healthcare technology integration.

5.0 Conclusion

This study provides a comprehensive exploration of healthcare providers' perceptions and experiences with the integration of technology into care delivery across various regions of Saudi Arabia. The findings highlight both the transformative potential and the significant challenges faced by healthcare workers in adapting to and utilizing digital health tools. Healthcare providers generally recognized the value of technology in improving care efficiency and patient outcomes, yet they also faced substantial obstacles, including inadequate training, lack of standardization, and systemic barriers like limited access to resources. These challenges



Received: 16-09-2024

Revised: 05-10-2024

Accepted: 22-11-2024

emphasize the need for a more supportive infrastructure that promotes equitable access to technological resources and provides tailored, context-specific training programs.

The study underscores the critical importance of empowering healthcare providers with the skills and knowledge necessary to effectively engage with emerging technologies. Tailored training, ongoing support, and system-level improvements are essential to ensure that healthcare professionals are adequately prepared to leverage digital tools in their practice. Addressing these barriers will not only enhance the experience of healthcare providers but also improve the quality of care delivered to patients. Future efforts in this area should focus on creating more inclusive, accessible, and sustainable models for integrating technology into healthcare systems, with a particular emphasis on ensuring that all healthcare providers, regardless of their location or role, have the resources they need to succeed.

Acknowledgement

We would like to express our sincere gratitude to all the healthcare providers who participated in this study and shared their valuable insights. Their time and contributions were essential to the success of this research. We also thank the healthcare institutions across various regions of Saudi Arabia for facilitating the study and supporting our efforts.

Author Contributions

All authors contributed equally to this study. They were involved in the design, data collection, analysis, and interpretation of the findings. Each author played a key role in drafting and revising the manuscript, ensuring its accuracy, and providing intellectual input throughout the research process.

Informed Consent Statement

Informed consent was obtained from all participants involved in this study. Participants were fully informed about the purpose of the research, the procedures involved, and their right to confidentiality and voluntary participation. They were also informed that they could withdraw from the study at any time without any negative consequences. All participants provided written consent before their involvement in the study.

Funding

No funding received for this study

Conflict of interest

The author declare that there is no competing of interests



Availability of Data and Materials:

The lead author affirms that this manuscript provides an honest, accurate, and transparent representation of the study being reported. No significant aspects of the study have been omitted, and any deviations from the originally planned study (and, if applicable, registered protocol) have been thoroughly explained.

References

1. GBD 2017 DiseaseInjury IncidencePrevalence Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet*. 2018 Nov 10;392(10159):1789-1858. [FREE Full text] [CrossRef] [Medline]
2. Mitchell M, Kan L. Digital technology and the future of health systems. *Health Syst Reform*. 2019;5(2):113-120. [CrossRef] [Medline]
3. Internet of Things (IoT) in Healthcare. Research Markets. 2019. URL: <https://www.medicaldevice-network.com/comment/bringing-internet-things-healthcare/> [accessed 2020-10-02]
4. Mitchell-Box K, Braun KL. Fathers' thoughts on breastfeeding and implications for a theory-based intervention. *J Obstet Gynecol Neonatal Nurs*. 2012;41(6):E41-E50. [CrossRef] [Medline]
5. Dang LM, Piran MJ, Han D, Min K, Moon H. A survey on internet of things and cloud computing for healthcare. *Electronics*. 2019 Jul 9;8(7):768. [CrossRef]
6. Saarikko T, Westergren UH, Blomquist T. The internet of things: are you ready for what's coming? *Bus Horiz*. 2017 Sep;60(5):667-676. [CrossRef]
7. Nazir S, Ali Y, Ullah N, García-Magariño I. Internet of things for healthcare using effects of mobile computing: a systematic literature review. *Wireless Commun Mobile Comput*. 2019 Nov 14;2019:1-20. [CrossRef]
8. Yin Y, Zeng Y, Chen X, Fan Y. The internet of things in healthcare: an overview. *J Ind Inf Integration*. 2016 Mar;1:3-13. [CrossRef]
9. Torous J, Jän Myrick K, Rauseo-Ricupero N, Firth J. Digital mental health and covid-19: using technology today to accelerate the curve on access and quality tomorrow. *JMIR Ment Health*. 2020 Mar 26;7(3):e18848. [FREE Full text] [CrossRef] [Medline]
10. Fisk M, Livingstone A, Pit SW. Telehealth in the context of covid-19: changing perspectives in Australia, the United Kingdom, and the United States. *J Med Internet Res*. 2020 Jun 9;22(6):e19264. [FREE Full text] [CrossRef] [Medline]



Received: 16-09-2024

Revised: 05-10-2024

Accepted: 22-11-2024

11. Ye Q, Zhou J, Wu H. Using information technology to manage the covid-19 pandemic: development of a technical framework based on practical experience in China. *JMIR Med Inform.* 2020 Jun 8;8(6):e19515. [FREE Full text] [CrossRef] [Medline]
12. Sethi P, Sarangi S. Internet of things: architectures, protocols, and applications. *J Electric Comput Eng.* 2017:–.
13. Wu M, Lu T, Ling F, Sun J. Research on the Architecture of Internet of Things. In: 3rd International Conference on Advanced Computer Theory and Engineering. 2010 Presented at: ICACTE'10; August 20-22, 2010; Chengdu, China. [CrossRef]
14. Merchant RK, Inamdar R, Quade RC. Effectiveness of population health management using the propeller health asthma platform: a randomized clinical trial. *J Allergy Clin Immunol Pract.* 2016;4(3):455-463. [CrossRef] [Medline]
15. Merchant R, Szeffler SJ, Bender BG, Tuffli M, Barrett MA, Gondalia R, et al. Impact of a digital health intervention on asthma resource utilization. *World Allergy Organ J.* 2018;11(1):28. [FREE Full text] [CrossRef] [Medline]
16. Levine DM, Ouchi K, Blanchfield B, Diamond K, Licurse A, Pu CT, et al. Hospital-level care at home for acutely ill adults: a pilot randomized controlled trial. *J Gen Intern Med.* 2018 May;33(5):729-736. [FREE Full text] [CrossRef] [Medline]
17. Plowman R, Peters-Strickland T, Savage G. Digital medicines clinical review on the safety of tablets with sensors. 2018;17(9):849-852. [FREE Full text]
18. Naik R, Macey N, West RJ, Godbehere P, Thurston SC, Fox R, et al. First use of an ingestible sensor to manage uncontrolled blood pressure in primary practice: the UK hypertension registry. *J Community Med Health Educ.* 2017;07(01):–. [CrossRef]
19. Birckhead B, Khalil C, Liu X, Conovitz S, Rizzo A, Danovitch I, et al. Recommendations for methodology of virtual reality clinical trials in health care by an international working group: iterative study. *JMIR Ment Health.* 2019 Jan 31;6(1):e11973. [FREE Full text] [CrossRef] [Medline]
20. Eckert M, Volmerg JS, Friedrich CM. Augmented reality in medicine: systematic and bibliographic review. *JMIR Mhealth Uhealth.* 2019 Apr 26;7(4):e10967. [FREE Full text] [CrossRef] [Medline]
21. Gerup J, Soerensen CB, Dieckmann P. Augmented reality and mixed reality for healthcare education beyond surgery: an integrative review. *Int J Med Educ.* 2020 Jan 18;11:1-18. [FREE Full text] [CrossRef] [Medline]
22. Tashjian VC, Mosadeghi S, Howard AR, Lopez M, Dupuy T, Reid M, et al. Virtual reality for management of pain in hospitalized patients: results of a controlled trial. *JMIR Ment Health.* 2017 Mar 29;4(1):e9. [FREE Full text] [CrossRef] [Medline]



23. Chirico A, Lucidi F, De Laurentiis M, Milanese C, Napoli A, Giordano A. Virtual reality in health system: beyond entertainment. A mini-review on the efficacy of VR during cancer treatment. *J Cell Physiol.* 2016 Feb;231(2):275-287. [CrossRef] [Medline]
24. de Carvalho M, Dias T, Duchesne M, Nardi A, Appolinario J. Virtual reality in health system: beyond entertainment. A mini-review on the efficacy of VR during cancer treatment. *Behav Sci (Basel).* 2017 Jul 9;7(3):- . [FREE Full text] [CrossRef] [Medline]
25. Lohse KR, Hilderman CG, Cheung KL, Tatla S, van der Loos HF. Virtual reality therapy for adults post-stroke: a systematic review and meta-analysis exploring virtual environments and commercial games in therapy. *PLoS One.* 2014;9(3):e93318. [FREE Full text] [CrossRef] [Medline]
26. Valmaggia LR, Latif L, Kempton MJ, Rus-Calafell M. Virtual reality in the psychological treatment for mental health problems: a systematic review of recent evidence. *Psychiatry Res.* 2016 Feb 28;236:189-195. [CrossRef] [Medline]
27. Persky S. Application of virtual reality methods to obesity prevention and management research. *J Diabetes Sci Technol.* 2011 Mar 1;5(2):333-339. [FREE Full text] [CrossRef] [Medline]
28. Sangave NA, Aungst TD, Patel DK. Smart connected insulin pens, caps, and attachments: a review of the future of diabetes technology. *Diabetes Spectr.* 2019 Nov;32(4):378-384. [CrossRef] [Medline]
29. Doryab A, Villalba DK, Chikersal P, Dutcher JM, Tumminia M, Liu X, et al. Identifying behavioral phenotypes of loneliness and social isolation with passive sensing: statistical analysis, data mining and machine learning of smartphone and FitBit data. *JMIR Mhealth Uhealth.* 2019 Jul 24;7(7):e13209. [FREE Full text] [CrossRef] [Medline]
30. Sposaro F, Tyson G. iFall: an Android application for fall monitoring and response. (1557-170X (Print)) 2020:a. [CrossRef]
31. Majumder S, Chen L, Marinov O, Chen C, Mondal T, Deen MJ. Noncontact wearable wireless ECG systems for long-term monitoring. *IEEE Rev Biomed Eng.* 2018;11:306-321. [CrossRef]
32. Kakria P, Tripathi NK, Kitipawang P. A real-time health monitoring system for remote cardiac patients using smartphone and wearable sensors. *Int J Telemed Appl.* 2015;2015:373474. [FREE Full text] [CrossRef] [Medline]
33. Dojchinovski D, Ilievski A, Gusev M. editors. Interactive home healthcare system with integrated voice assistant. 2019;2019:- . [CrossRef]