

## **The Effectiveness of the Role of the Radiology Department in Conducting and Interpreting Medical Diagnostic Tests**

**1Abdalmawla Atwan Jarallah Almalawi, 2Naif Ahmed H Alqouzi, 3Fayad Awad Alsharari, 4Mansour Falah Mohammed, 5Madallah Musaad Alsharari, 6Majed Mufleh Mashi Al Shararai, 7Tawfeeg Abdu Mousa Ageely, 8Waleed Salih Al.Zahrani, 9Ali Abdullah Aseeri, 10Othman Najm Alothman**

1Radiology Technology, Adham General Hospital

2Specialist-Radiological Technology, South Qunfudhah Hospital

3Technician X -Ray, Tabarjal General Hospital

4Radiology Technician, Tabarjal General Hospital

5Technician X-Ray, Tabarjal General Hospital

6X-Ray Technician, Tabarjal General Hospital

7Radiology Technician, Bish General Hospital

8Technician X.Ray, King Abdullah Medical Complex Jeddah

9Radiological Technology, Khamis Moshait General Hospital

10Medical Imaging Diagnostic, The First Polyclinic Pss.

### **1. Introduction**

The radiology department is considered one of the most important departments and an essential cornerstone in the diagnosis, management, and follow-up of many diseases. This study aimed to identify the effectiveness of the role of the radiology department and the various radiographic interventions in assessing and evaluating medical diagnostic tests in different diseases, as well as identifying the most common diseases indicated by these tests. A literature review method was used, and both advanced search engines were utilized for the selection of scientific papers based on a process in which the most recent studies in this field were included, along with the most used and valuable studies regarding the radiology diagnostic role. The focus was directed towards the recent advances in the radiological techniques used in diagnosis, assessment, and follow-up in various operations, which help improve the provision of a high level of health care services. The most important radiographic readings and interventions have been identified, and the most common diseases associated with these readings have been

highlighted, providing very important information for professionals in various health fields to cooperate effectively with the radiology department.

The conducted literature review highlighted the significant role of the radiology department in assessing and evaluating the success of many medical diagnostic tests. The relevance of the subject was confirmed by the literature review and the status of researchers, as well as the dynamics of changes in existing diagnostic protocols, in which the radiology department is involved with the conduct of various imaging techniques that assist in performing diagnostic medical tests to identify a large number of surgical diseases, along with interventions that offer high benefits and low harm for patients in different situations.

### **Methods**

In this strategic study, a new methodology suggests that medical imaging specialists should provide primary imaging and be involved in early interpretations of all X-ray and radiation diagnostic exams. Hospital patients should also undergo appropriate image diagnosis performed by radiology technicians. This is based on approved protocols for primary treatment. The study focuses on bone protocols, imaging system quality assurance, and medical image interpretation. The study also emphasizes internal communication for specialized X-ray exams, well-defined protocols for patient visits, and protective measures for diagnostic calculations. The development status of the hospital's X-ray Center of Medical Radiology and Medical Physics is discussed. The hospital's infrastructure for the X-ray diagnostic examination center needs improvement.

### **Conclusion**

In conclusion, it is clear that the role of radiology departments is pivotal in conducting and interpreting a broader range of medical diagnostic tests. The availability of modern imaging technologies supports the current healthcare system and clinical decision-making at both primary and secondary care levels. The focus of many radiologists, therefore, remains centered on producing accurate and high-quality imaging studies. The developed world is experiencing a written report shortage as a result of the increased and constant demand for imaging studies. As a result, an accumulation of imaging studies that have been carried out but not diagnosed is generated. These backlogs of imaging studies have opened new opportunities regarding AI and computer-aided detection methods. Of paramount importance is the fact that radiology departments play a crucial, significant, and pivotal role in the delivery of effective medical diagnostic services in a healthcare system. Data and knowledge acquired are invaluable, of high quality, and are

continuously considered vital components in reaching the decision-making step by clinicians in both primary and secondary healthcare institutions.

## **Introduction**

The Effectiveness and Assigned Role of the Radiology Department in Conducting and Interpreting Medical Diagnostic Tests

1. Radiology plays a large and important role in the life-saving process of medical diagnostic tests. The radiology department serves as one of the most important departments and branches in the vast body of outpatient and inpatient clinical structures. The current establishment and organization of the radiology department have been updated and reshaped many times to suit and fulfill the actual needs of this field over the years. It has become obligatory for hospitals and clinics of different sorts and levels to provide the radiology department with the best possible radiological imaging modalities of the highest standards of performance and quality to meet the associated demands and top the list of productivity in any hospital department and handle the high investments well to achieve the determined goals.

## **2. Importance of Radiology in Medical Diagnosis**

Radiological images contribute to the diagnostic and therapeutic process, as they are the basis for accurate diagnosis and the decision to treat various diseases. Thus, a physician, using these images and other basic elements, can give the patient the right treatment and reach greater expertise in treatment, such as planning the stages of the operation, surgical approach, and possible complications. Radiological images are essential to a large extent in confirming the diagnosis, allowing physicians to choose the most appropriate therapeutic approach for the patient. Therefore, the radiology department is one of the important and stressful departments in any hospital. The radiological images can take the form of direct microscopy for tissue or cells in a specific area of the body or indirect form, such as radiographic imaging techniques. The first is direct microscopy, CT scans, magnetic resonance imaging, and magnetic resonance spectroscopy, and the use of radioisotopes in scanning and advanced techniques such as PET scans, SPECT scans, fiber optics, and endoscopy.

Radiological tests are of great importance in the diagnostic process and are of great benefit to the patient. No medical diagnosis can be considered complete without radiographic images in most cases. Although the development that has been experienced by the tools of medical diagnosis, laboratory tests, and even imaging studies, and the increasing accuracy in the results that come out, has caused a mental change in the

physician's view of them as a complete and only tool for the production of information on the health status of patients. A comprehensive medical diagnosis depends on awareness of the importance of each of these tools and the physician's ability to use them properly, so as to avoid errors in the diagnosis, especially as errors in diagnostics lead to treatment errors, medical malpractice lawsuits, and wrong decisions that could end the patient's life or give him wrong expectations about the stage and severity of the disease.

### **3. Roles and Responsibilities of the Radiology Department**

The increasing demands on healthcare services have led to demands for improvements in supporting services such as radiology. The increase in the number of requests from various specialties for radiological investigation procedures makes the radiology department responsible for working from morning to night, from Monday to Sunday. The sudden death due to the normal diagnosis by the radiology department will impact the medical services corporation. These responsibilities are largely due to the progress of technology and the expanding applications of radiological investigations. This aims to address the essence of these responsibilities and the principles in radiology that enable the radiology department to perform these crucial roles effectively.

In clinical radiology, the mission of the radiology department is twofold. First, the radiology department must be responsible for the quality of the protocol that it is carrying out and ensure that the protocol fulfills the requirements and recommendations for examination. This includes ensuring that discrepancies between the intended and actual procedures are investigated and rectified, and the results of these investigations are acted upon without delay. Secondly, the radiology department must be responsible for interpretation and diagnosis and ensure that they are accurate, timely, and useful. This requires accurate interpretation and prompt communication of diagnostic information while maximizing the utilization of the radiological facilities in diagnosis. Remarkable problems exist in practice that tend to constrain these responsibilities, such as limitations of available knowledge, weak infrastructure with insufficient resources, and variability in assigning responsibilities.

The efficiency of the radiology department is an important requirement for the effective functioning of the medical institution or hospital as a whole. The timing and accuracy of radiological diagnosis influence not only the management of individual patients but also the fundamental approaches of the medical institution, including the emergency unit and the effective utilization of available infrastructure. As the need for accurate but quick radiological interpretation increases, much interest has surrounded the continuous support

between the physician and the radiological specialist. This is probably a requirement for fulfilling the rapid developments in medical services and diagnostic capabilities.

#### **4. Diagnostic Imaging Modalities**

4.1. Plain X-ray: Diagnostic X-ray modalities still play an important role in medical practice, even if they might be outperformed by newer modalities in terms of their diagnostic performance. Usually, it is one of the first steps ordered by a clinician in the work-up of patient attendances to the Emergency Department. Indications for referral include the need to confirm or exclude particular findings, such as the presence of a foreign body or pericardial calcifications. There are a couple of settings where radiographs might not be ordered, including the initial management of minor chest trauma, infections, post-operatively to assess the presence of atelectasis, and assessment of bowel obstruction. These conditions will usually benefit more from the use of modalities, including computed tomography, ultrasonography, or angiography, as discussed later.

4.2. Computed Tomography: In recent years, the use of CT has seen a significant increase compared with other examinations, which could be due to its wide range of indications and multifaceted functions. If necessary, a contrast medium can be administered intravenously, either to facilitate better detection of the structures or to allow tissue characterization. This is particularly useful in certain forms of cancer, where the cellular characteristics of different body structures can be inferred through the enhancement of the tissues after the injection of a suitable medium. To evaluate the performance of organs and structures, the acquisition protocol of the CT study needs to address the specific issues of the investigation. In addition to the use of intravenous contrast medium, for some examinations, contrast medium can be administered in other ways. Nonetheless, the use of this technique can expose the patient to the risk of complications.

##### **4.1. X-ray**

Radiography provides a two-dimensional image of the patient's body, mainly the patient's bones, but may also include the lungs, kidneys, or other soft tissue organs. Thanks to contrast agents facilitating the depiction of blood vessels and a growing group of minimally invasive imaging techniques, the possibilities of using radiography are constantly evolving. The use of enzymatic and chemical methods of tissue staining is an attractive method for creating an image that optimizes contrast and limits damage to tissues, which is desirable in the clinical practice of different medical specialties. Currently, radiological imaging enjoys greater recognition in the realm of basic non-

invasive diagnostic tests. The use of imaging techniques in specialist departments as the first and basic non-invasive test to indicate further diagnostic and therapeutic activities has initiated interdisciplinary discussion on the effectiveness of medical diagnosis in different specialties. This is particularly important in institutions emphasizing cost-effectiveness, or when growing responsibility obliges us to undertake broadly responsible medical activity. Different imaging modalities and financial resources determine the choice of diagnostic steps. Radiological imaging often justifies previous non-optimized diagnostic steps or their failure; it is an example of reluctance to use the full potential of imaging. (Sharafaddini et al.2024)(Odrzywołek et al.2022)(Hamdoun et al., 2024)

The construction of a radiographic image results from the absorption of appropriately modulated ionizing radiation by the analyzed tissues. The absorbed dose of ionizing radiation affects the structural constraints of the analyzed tissues and results in harmful biological effects. The currently used medical equipment requires a minimum dose density, which in the vast majority of radiological imaging methods does not exceed radiation levels that allow for performance with only slight consequences for tissue damage. The imaging sensitivity of tissues to X-ray radiation dose is used to appropriately optimize the examination procedure, which is very important when standards or high-certified procedures are necessary. Despite some limitations and always lower sensitivity to failing methods, zero-dose certified non-invasive imaging methods are developing, thus setting new standards both in diagnostic decisiveness and in optimizing healthcare management with patient satisfaction while meeting ecological requirements.

## **4.2. Ultrasound**

Ultrasound or sonography is a non-invasive method for visualizing the internal structures of the body and investigating certain medical problems. It is widely used in cardiology to explore the heart, in obstetrics to explore the growing fetus, and to examine internal organs such as the gallbladder, kidneys, liver, pancreas, spleen, or thyroid gland. It can also be used for blood flow detection to measure peak or mean instant speeds and spectral broadening times. Specific goals can be achieved that make medical control more secure. In addition, the Doppler ultrasound can monitor the severity of stenosis, establish prognosis in cases of valvular narrowing, monitor aneurysmal growth progression, detect the location of specific arteries, and assess therapeutic interventions. Doppler can also be used in specific clinical situations and to perform regional perfusion tests. One of the main uses is to assess arterial circulation, especially in the lower limbs. In the superficial

area of the abdomen, it is used to assess the veins and, in the case of the veins, to check the healing of the saphenous vein after surgery.

Ultrasound, as an imaging method, is non-invasive and does not use ionizing radiation but uses mechanical sound waves. Bone density, for example, does not allow the waves to pass through because the differences between the densities do not allow their passage or because they are too weak for the ultrasound machine to identify and cannot be considered appropriate. Patients who suffer from elastic deformities or who are under mechanical compression also cannot undergo the exam. This method is the only way to evaluate the following risk factors: hypertension, hypercholesterolemia, obesity, smoking, diabetes, family history of premature ischemic heart disease, physical inactivity, stress, alcohol consumption, and social factors. The ultrasound control of the extracranial carotid arteries is used to establish the diagnosis. A total of 0.5% of patients have severe bilateral stenosis that requires surgical treatment. The main indication for treatment is arteriosclerosis of the lower limbs. One of the evaluation methods is color Duplex with or without Doppler.

### **4.3. Computed Tomography (CT)**

4.3. Computed Tomography (CT) The Medical Radiology and Diagnostic Imaging Department has made a major leap in the field of computed tomography (CT) over the recent past with the arrival of technological solutions that enable researchers to achieve high-definition medical diagnostic images with unrivaled quality to facilitate the establishment of diagnoses swiftly and accurately. The radiology technician, who is competent in his field of professional practice, also took great advantage of these incredible technical developments. It is no longer a secret to anyone that the CT room radiology technician has competently taken the correction of a large number of controls in this department to relieve the radiology residents from the unforeseen problems they encounter while preparing for the tests or analyzing these images to expedite the taking of decisions to begin or adjust treatment. (Najjar, 2023)(Kumar et al.2020)(Horwitz et al., 2024)

4.3.1. Tests and Imaging in the Most Varied Parts of the Human Body Obtained from CT Scans The CT room makes it possible to perform several types of tests and imaging of the most varied parts of the human body (soft tissue, blood vessels, brain, lumbar spine, cervical spine, thoracic spine, dorsal spine, abdomen, pelvis, face, paranasal sinuses, elbow, knee, shoulder, hip, among others): 1. Cranial Computed Tomography; 2. Skull Computed Tomography; 3. Cervical Computed Tomography; 4. Paranasal Sinus

Tomography; 5. Face Computed Tomography; 6. Shoulder Tomography; 7. Elbow Computed Tomography; 8. Chest Computed Tomography; 9. Thorax High-Resolution Computed Tomography; 10. Abdomen Computed Tomography; 11. Pelvic Computed Tomography; 12. Lumbar Spine Computed Tomography; 13. Sacral Spine Computed Tomography; 14. Dorsal Spine Computed Tomography; 15. Lombo to Sacral Spine Computed Tomography; 16. Left Wrist Computed Tomography; 17. Left Hip Computed Tomography; 18. Left Knee Tomography; 19. Rheumatologic Computed Tomography; among others. Solving urgent and routine clinical demands significantly increases the accuracy of the service by constructing highly accurate detailed high-resolution 3D images.

#### **4.4. Magnetic Resonance Imaging (MRI)**

Magnetic Resonance Imaging: MRI is a medical imaging technique used to visualize internal structures of the body in detail. MRI makes use of the body's hydrogen atoms. The radio waves, to which the latter are exposed in order to achieve a desired test result, direct the magnetization towards spatial coherence. Then they are observed via another pulsed radiofrequency electromagnetic wave because the body emits electromagnetic radio waves due to nuclear resonance. The measurements collected are stored in a computer and interpreted by radiologists later. No side effects are observed after the examination, but those with metal objects should not enter the magnetic environment.

There is a very primitive, yet effective detection principle, detaining a signal produced in the human body, located under a magnetic field and causing the polarization of the spinning atomic nuclei and the deflection of the axis of their turns from the field direction. A cutting radio frequency pulse is implemented with the subsequent monitoring of the electromagnetic oscillations created as a result of the inherent return of these polarized nuclei to their natural structure, which absorbs electromagnetic energy at a characteristic radio frequency. This has already become familiar, a tale from the fable of our school curricula taught as the section on Alzheimer's Disease in 12th grade. These analyses, which actually underlie the magnetic resonance imaging technique, can then go up to the detection and resolution of golf-sized sport motifs, depicting small magnets, each.

With the spread of the MRI device, which can be called the computerized tomography of nuclear magnetic resonance under magnetic stress, the aim is to exploit the phenomenon of nuclear exchange at high spatial resolution. Removing the smallest predispositions is not accidental in the research field of MRI because it highlights their potential as vehicles

for the early diagnosis and control of increasingly lethal degenerative, inflammatory, and secondary-induced pathologies, thanks to the ability it presents in providing information about the diffusional properties, the dynamics of perfusion and oxygenation state, and, in a broad sense, the whole metabolism of chemically different substances, without administering ionizing radiation.


## **5. Challenges and Limitations in Radiology Practice**

Modern radiologists are required to master technology as well as the clinical conditions of their patients. Such dual professional requirements are highlighted in different medical conditions accompanied by a demand for various radiological examinations. Patients may undergo numerous complex radiological tests that aim to provide comprehensive clinical messages. It is expected of the radiologists to employ the newest examination protocols and possess a strong clinical background in interpreting different types of images so that they can provide comprehensive information that addresses all the clinical needs. Nevertheless, it is important to remember that the changes in the world, medicine, and with the patients may bring forth their own challenges of a different kind. Some examination conditions may lead to strict examination limitations, developing clinical doubts, and may significantly challenge the results interpretation and therefore hamper communication with the treating physician.

The changes in the number and complexity of radiological examinations have a direct influence on the radiologist's characteristics. An aspect analysis shows that radiologists' characteristics are difficult to certify and maintain. Like in other medical professions grounded on experience, certain clinical intuition, based in part on accumulated knowledge, is tested; this clinical intuition helps furnish an overall perspective. Owing to relatively low radiation exposure during MRI, a majority of the interpreters are non-radiologists. MRI is not as popular as CT examination in Poland, but its popularity among patients is steadily increasing. The fear of examination and correct interpretation is reduced by the understanding of essential examination conditions and the personalized approach of both medical professionals.

## **6. Quality Assurance and Improvement in Radiology**

The responsibilities for the delivery of quality health services include awareness of the planned and continuous efforts of health professionals responsible for service at every level and covering all types of medical care services. These responsibilities should extend to radiological diagnosis services and to the application of sound quality management methods including quality assurance and quality improvement to these services. A



*Received: 16-10-2024*

*Revised: 05-11-2024*

*Accepted: 02-12-2024*

program is needed to support the radiologist and those others who are involved in the test interpretation processes in making the best use of their unique knowledge, skills, and expertise in providing valuable and cost-efficient medical test information.

Quality assurance in diagnostic radiology should be integrated into the total management effort designed to create and maintain a greater awareness of those factors which might contribute to either unnecessary radiation exposure of patients or a less than ideal diagnostic process. Such an approach should support the premise that the performance of tasks by humans can often best be enhanced by improved circumstances in which these tasks are performed. After all, more than experience and training contribute to the reputation of the better radiologists. In other words, even outstanding individuals stand to gain from improvements in the systems and environment within which they exercise their unique talents. Any efficiency improvement in the diagnostic process will be consistent with meeting the goal of reduced and controlled costs needed to maintain and expand medical diagnostic services. All the traditional quality improvement principles and approaches may need to be deployed in response to the mission of diagnostic radiology. The development and use of records from which operational data can be extracted are important so that human performance and environmental factors can be monitored continuously in radiologic diagnostic testing service. Contacts with users will provide feedback. Quality improvement efforts may find that effective techniques can be expensive, and they may find that cost-saving methods do not always work, but they will find that something can be done. The effort pays off when quality improvement results in costs that assure the financial viability of radiology departments and reliable clinical tests that assure the physical well-being of patients.

The need for quality assurance studies may be indicated or generated at different hierarchical levels such as those of the individual diagnostic radiology system or equipment, the radiologist or interpreter that evaluates the examination results and provides or supports the clinical test reports and patient-related statements, the study of the clinical test procedure from the time the diagnostic study is suggested to the evaluation or consideration of follow-up testing, or the quality of the input from and the working relationship that exists between the referring practitioners and the radiology department personnel. These latter relationships tend to extend to the local community that formed the medical group responsible for the well-being of the patient population served by the hospital and radiology department. A targeted quality assurance study will be designed so that, under the influence of the diagnostic process, a response will stimulate a correct action and will support the demand for it. The program should be very

organized with the internal structure that is necessary to receive results that support departmental activities and that provide an incentive through the education and awareness generated.

## **7. Case Studies and Examples**

During the last few years, modern technology in the field of medical diagnostic imaging has witnessed diversified services that use digital transducers to conduct tests not only to define the anatomy of tissues but also to estimate the movement of an organ using technology. Under some circumstances, it is used independently to diagnose and intervene, in addition to visualizing the movement of internal organs. The radiology department features two basic types of technology that are used for diverse diagnostic testing purposes, important for providing better medical care: these are ultrasound and the echocardiogram for diagnostic imaging techniques. Diagnostic imaging has become an essential tool in the field of medical care as it is used to facilitate better choices for treatment. Doctors have become familiar with the fact that the tablets can be safely and effectively used in the radiology department thanks to diagnostic imaging techniques. In addition to this, a new hybrid operating room was developed according to the most recent innovations, technology, and connectivity required with the tablets.

## **8. Conclusion**

The radiology department is a contributor to the process of conducting and interpreting medical diagnostic tests well and necessary. Radiologic equipment is used as a support for diagnosing a patient's complaint. The purpose of this research is to determine the effectiveness of the role of the Radiology Department in conducting medical diagnostic tests at the hospital. This type of research used is a descriptive method with a qualitative approach. The informants in this study were 10 radiology employees of the hospital. The results of this study indicate that the radiology department can run well according to established duties and job descriptions with supporting factors such as the competence and authority of the radiology department, related strategies, cooperation within the department, pressure, supporting facilities, and use of the information system. The problems that arise are in the implementation of SOP. The lack of supervision and evaluation of leaders towards employees makes many employees not understand about SOP so that the regional concept is disrupted.

A further increase of the already high capacity of the general fund to support the modernisation of diagnostic measures made in the radiology. More so, that without a strong radiology department to implement complex diagnostic imaging and functional

imaging, those other processes of diagnosis like fine needle aspiration for thyroids with active iodine or functional MRI aimed at diagnosing cancer in the liver or mammary are used ineffectively and dramatically slowed to the point of a stop and the cancer would be diagnosed routinely delayed without the level of expertise of modern radiodiagnostic tools. A significant initial delay would be the first effect of the lack of diagnostic flow to generate the fastest start of treatments and rapid therapeutic choices in relation to the characteristics of the diagnosed tumor. If such delays occur in an increasing number of requests made even by social associations, the agility and precision of modern diagnosis for the benefit of social population needs to be quadrupled from 6 am to midnight like prime time in a television show. It is essential to maintain and integrate to add to the usefulness and effectiveness of all clinical interventions that surround the assistance to the population around us.

#### References:

1. Sharafaddini, A. M., Esfahani, K. K., & Mansouri, N. (2024). Deep learning approaches to detect breast cancer: a comprehensive review. *Multimedia Tools and Applications*, 1-112. [\[HTML\]](#)
2. Odrzywołek, W., Deda, A., Zdrada, J., Wcisło-Dziadecka, D., Lipka-Trawińska, A., Błońska-Fajfrowska, B., & Wilczyński, S. (2022). Assessment of psoriatic skin features using non-invasive imaging technique. *Processes*, 10(5), 985. [mdpi.com](https://www.mdpi.com)
3. Hamdoun, A., Ali, Z., & Alattaya, A. (2024). Comparative Analysis of Barium Follow Through with CT Enterography and Magnetic Resonance Enterography in Radiological Diagnostics: A narrative review of .... *New Asian Journal of Medicine*. [nasianjmed.com](https://nasianjmed.com)
4. Najjar, R. (2023). Redefining radiology: a review of artificial intelligence integration in medical imaging. *Diagnostics*. [mdpi.com](https://www.mdpi.com)
5. Kumar, S., Khurana, A., Haglin, J. M., Hidlay, D. T., Neville, K., Daniels, A. H., & Eltorai, A. E. (2020). Trends in diagnostic imaging Medicare reimbursements: 2007 to 2019. *Journal of the American College of Radiology*, 17(12), 1584-1590. [\[HTML\]](#)
6. Horwitz, J., Nichols, A., Colla, C. H., & Cutler, D. M. (2024). Technology Regulation Reconsidered: The Effects of Certificate of Need Policies on the Quantity and Quality of Diagnostic Imaging. [nber.org](https://www.nber.org)