



## How Radiology, Paramedics, Pharmacy, Medical Nurse, And Physiotherapy Work Together in Trauma Management

Haytham Ateeq Alharbi,<sup>1</sup> Asmaa Matr Alanazi,<sup>2</sup> Hajer Abdulaziz Mousa Al Jubaili,<sup>3</sup> Sahar Abdu Hakami,<sup>4</sup> Nassar Raji Halil Aljuhani,<sup>5</sup> Naif Ali Alalawi,<sup>6</sup> Meshal Saleh Alharbi,<sup>7</sup> Nasser Obaid Awad Al-Harbi,<sup>8</sup> Sultan Abdullah Al Burayk,<sup>9</sup> Rozana Ali Daba,<sup>10</sup> Hamza Abdullalh Hussan Alalisi Pharmacy,<sup>11</sup> Yahya Mohammed Ahmed Dahhas,<sup>12</sup> Ali Nasser Mansour Shammakhi,<sup>13</sup> Adel Hamad Abdu Khardli,<sup>14</sup> Khaled Mossa Mohsen Mashi<sup>15</sup>

1-Al Madinah Almonawarah Saudi Red Crescent Authority Kingdom Of Saudi Arabia

2-Security Forces Hospital Riyadh Ministry Of Defense Kingdom Of Saudi Arabia

3-Al Jafer General Hisoital Ministry Of Health Kingdom Of Saudi Arabia

4-Prince Mohammed Bin Nasser Hospital Ministry Of Health Kingdom Of Saudi Arabia

5-Tabuk Health Cluster-Erada Mental Ministry Of Health Kingdom Of Saudi Arabia

6,9-Field Medicine In Riyadh, Ministry Of The National Guard, Kingdom Of Saudi Arabia

7-Ministry Of The National Guard, Kingdom Of Saudi Arabia

8-First Aviation Brigade Of The National Guard Kingdom Of Saudi Arabia

10-King Abdullah Medical Complex Ministry Of Health Kingdom Of Saudi Arabia

11-Eradah And Mantle Health Complex, Eradah Services, Jeddah Second Health Cluster, Ministry Of Health Kingdom Of Saudi Arabia

12-Edabi General Hospital- Jazan Ministry Of Health Kingdom Of Saudi Arabia

13,14,15-Eradah Hospital For Mental Health- Jazan Ministry Of Health Kingdom Of Saudi Arabia

### Abstract

Trauma management requires rapid assessment, timely intervention, and coordinated multidisciplinary care to reduce mortality and long-term disability. Radiology, Pharmacy, Paramedics, Medical Nurses, and Physiotherapy professionals play complementary and interdependent roles throughout the trauma care continuum. Paramedics provide immediate life-saving care and safe transport, radiology supports rapid diagnosis of internal injuries, medical nurses ensure continuous monitoring and critical care, and physiotherapy facilitates early rehabilitation and functional recovery. This article explains how these four disciplines collaborate effectively in trauma management, emphasizing their coordinated roles from the



scene of injury to hospital care and rehabilitation, ultimately improving patient outcomes and quality of care.

**Keywords-** Radiology, Paramedics, Pharmacy, Medical Nurse, Physiotherapy, Trauma Management, Emergency Care, Multidisciplinary Team, Patient Recovery

## Introduction

Trauma is one of the leading causes of death and disability worldwide, often resulting from road traffic accidents, falls, violence, and natural disasters. Effective trauma management depends on a well-coordinated healthcare system that can respond quickly and efficiently across multiple stages of care. No single healthcare professional can manage trauma independently; instead, successful outcomes rely on teamwork among emergency responders, diagnostic services, nursing staff, and rehabilitation specialists.

Radiology, Paramedics, Pharmacy, Medical Nurses, and Physiotherapy professionals form the core pillars of trauma management. Paramedics are usually the first point of contact, providing immediate emergency care and stabilizing the patient at the scene. Radiology plays a critical role in diagnosing fractures, internal bleeding, organ damage, and head injuries through imaging techniques. Medical nurses provide continuous monitoring, administer medications, assist in emergency procedures, and coordinate patient care in emergency and critical care units. Physiotherapists focus on early mobilization, rehabilitation, and long-term functional recovery after trauma.

This integrated approach ensures that trauma patients receive prompt assessment, accurate diagnosis, effective treatment, and structured rehabilitation. This article explores how radiology, paramedics, medical nurses, and physiotherapy professionals work together in trauma management and highlights the importance of interdisciplinary collaboration in improving survival rates and recovery outcomes.

## Pre-Hospital Phase: Role of Paramedics

The pre-hospital phase is the first and most critical stage of trauma management. It begins at the scene of injury and continues until the patient is safely transferred to a healthcare facility. During this phase, paramedics play a life-saving role by providing immediate assessment, stabilization, and rapid transport. Their actions significantly influence patient survival, severity of complications, and long-term recovery.

## Rapid Scene Assessment and Safety

Paramedics begin by ensuring safety for themselves, the patient, and bystanders.

- Assess the accident scene for hazards such as traffic, fire, electricity, or structural instability.



- Use personal protective equipment (PPE) to prevent infection and injury.
- Quickly identify the number of casualties and severity of injuries.

Ensuring scene safety allows uninterrupted and effective trauma care.

### Primary Survey and Initial Assessment

Paramedics perform a rapid and systematic assessment using the **ABCDE approach**:

- **Airway** – Ensure the airway is open and protected, especially in unconscious patients.
- **Breathing** – Assess respiratory rate, chest movement, and oxygen saturation.
- **Circulation** – Control external bleeding, assess pulse, and manage shock.
- **Disability** – Evaluate neurological status using the Glasgow Coma Scale (GCS).
- **Exposure** – Identify hidden injuries while preventing hypothermia.

This structured assessment helps identify life-threatening conditions quickly.

### Immediate Life-Saving Interventions

Paramedics provide essential emergency care at the injury site.

- Secure the airway using basic or advanced airway techniques.
- Administer oxygen to maintain adequate tissue oxygenation.
- Control hemorrhage using direct pressure, tourniquets, or bandages.
- Immobilize fractures using splints and spinal boards.
- Initiate cardiopulmonary resuscitation (CPR) if required.

Early intervention prevents deterioration before hospital arrival.

### Trauma Stabilization and Monitoring

After initial interventions, paramedics focus on stabilizing the patient.

- Monitor vital signs such as heart rate, blood pressure, respiratory rate, and oxygen saturation.
- Establish intravenous access for fluid resuscitation if needed.
- Administer emergency medications as per protocol.
- Continuously reassess patient condition during transport.

Stabilization reduces the risk of secondary injuries.



## **Safe and Rapid Transportation**

Timely transport is a key responsibility of paramedics.

- Decide the most appropriate healthcare facility based on injury severity.
- Use proper patient positioning to prevent further injury.
- Maintain immobilization during movement and transport.
- Ensure continuous monitoring inside the ambulance.

Rapid transport ensures early access to definitive medical care.

## **Communication and Handover to Hospital Team**

Effective communication is essential in trauma management.

- Provide advance notification to the receiving hospital.
- Communicate patient details, mechanism of injury, vital signs, and interventions performed.
- Ensure a structured handover to emergency nurses and doctors upon arrival.

Clear communication improves hospital preparedness and continuity of care.

## **Emotional Support and Patient Reassurance**

Paramedics also address psychological needs.

- Reassure conscious patients to reduce fear and anxiety.
- Communicate calmly and clearly during treatment.
- Provide support to family members when possible.

Emotional stability contributes to better patient cooperation and outcomes.

## **Importance of the Paramedic's Role in Trauma Care**

The role of paramedics in the pre-hospital phase is vital because:

- Early intervention saves lives
- Proper immobilization prevents further injury
- Rapid transport reduces complications
- Accurate communication improves hospital response

Their expertise bridges the gap between the injury scene and hospital care.



## Conclusion

The pre-hospital phase of trauma management is a decisive period that often determines patient survival and recovery. Paramedics play a critical role by ensuring scene safety, performing rapid assessments, providing life-saving interventions, stabilizing patients, and ensuring timely transport to medical facilities. Through skilled clinical care, continuous monitoring, and effective communication, paramedics form the foundation of successful trauma management and significantly improve patient outcomes.

## Emergency and Diagnostic Phase: Role of Radiology

The emergency and diagnostic phase begins immediately after a trauma patient arrives at the hospital. During this phase, rapid and accurate diagnosis is critical to identify life-threatening injuries and guide immediate treatment decisions. Radiology plays a central role in trauma management by providing quick, precise, and evidence-based imaging that helps clinicians assess the extent of injuries and prioritize interventions.

## Importance of Radiology in Trauma Emergencies

Trauma injuries are often complex and not fully visible through physical examination alone. Internal bleeding, organ damage, fractures, and head injuries require imaging for confirmation. Radiology provides objective diagnostic evidence that supports rapid clinical decision-making and reduces delays in treatment.

## Initial Imaging and Rapid Assessment

Radiology supports immediate assessment through fast and accessible imaging techniques.

- **X-rays** are used as first-line imaging to detect fractures, chest injuries, and foreign bodies.
- **Focused Assessment with Sonography for Trauma (FAST)** is used to quickly identify internal bleeding in the abdomen or chest.
- These imaging methods are rapid, portable, and suitable for unstable patients.

Early imaging helps determine whether the patient requires urgent surgery or further stabilization.

## Advanced Imaging for Detailed Diagnosis

Once the patient is stabilized, advanced radiological investigations are performed.

- **CT scans** provide detailed cross-sectional images of the head, spine, chest, abdomen, and pelvis.



- CT imaging is crucial for detecting internal hemorrhage, traumatic brain injury, spinal fractures, and organ damage.
- **MRI** may be used later for soft tissue, spinal cord, or neurological injuries when the patient is stable.

Advanced imaging allows accurate injury grading and treatment planning.

### **Support for Emergency Surgical Decision-Making**

Radiology directly influences emergency treatment decisions.

- Helps surgeons determine the need for immediate surgical intervention.
- Assists in identifying the exact location and severity of injuries.
- Reduces unnecessary exploratory surgeries by providing precise diagnostic evidence.

Accurate radiological findings improve surgical outcomes and patient safety.

### **Continuous Monitoring and Follow-Up Imaging**

Radiology is also important for monitoring trauma progression.

- Repeat imaging assesses injury healing or complications.
- Detects delayed bleeding, infection, or worsening injury.
- Supports evaluation of treatment effectiveness.

Follow-up imaging ensures timely adjustment of treatment plans.

### **Collaboration with Trauma Team**

Radiology functions as an integral part of the multidisciplinary trauma team.

- Works closely with emergency physicians, surgeons, nurses, and paramedics.
- Provides real-time communication of critical findings.
- Ensures imaging protocols align with trauma management guidelines.

Effective collaboration enhances speed and accuracy of care.

### **Role in Patient Safety and Risk Reduction**

Radiology improves patient safety through evidence-based diagnosis.

- Minimizes misdiagnosis and missed injuries.
- Reduces unnecessary radiation exposure through protocol-guided imaging.
- Ensures proper documentation and reporting of findings.



Safe imaging practices are essential in emergency care.

### **Importance of Speed and Accuracy**

In trauma care, time is critical.

- Rapid imaging reduces time to diagnosis.
- Early detection of life-threatening injuries saves lives.
- Accurate reports guide efficient and appropriate treatment.

Radiology supports the “golden hour” principle in trauma management.

### **Contribution to Rehabilitation Planning**

Radiological findings also support long-term recovery.

- Help physiotherapists understand injury extent.
- Guide rehabilitation goals and precautions.
- Support prognosis and functional outcome planning.

This ensures continuity of care from emergency treatment to rehabilitation.

### **Conclusion**

Radiology plays a vital role in the emergency and diagnostic phase of trauma management by providing rapid, accurate, and evidence-based imaging. Through early detection of injuries, guidance for surgical decisions, continuous monitoring, and interdisciplinary collaboration, radiology ensures timely and effective trauma care. Its contribution significantly reduces mortality, prevents complications, and supports both acute treatment and long-term recovery. In modern trauma systems, radiology is an indispensable component of high-quality emergency healthcare.

### **Acute Care Phase: Role of Medical Nurse**

The acute care phase begins once the trauma patient arrives at the emergency department or trauma unit and continues through stabilization, emergency treatment, and critical care. During this phase, the medical nurse plays a central and indispensable role in ensuring patient safety, continuous monitoring, timely interventions, and coordination among healthcare professionals. The nurse acts as the primary caregiver and organizer of care during this highly critical stage.

### **Initial Reception and Rapid Assessment**

Medical nurses are among the first hospital professionals to interact with trauma patients.

- Receive the patient from paramedics and review pre-hospital information.



- Perform rapid assessment of airway, breathing, circulation, and neurological status.
- Measure and record vital signs such as blood pressure, pulse, respiration, oxygen saturation, and temperature.
- Identify visible injuries and signs of shock or distress.

This rapid assessment supports immediate life-saving actions.

### **Continuous Monitoring and Patient Stabilization**

Ongoing monitoring is a key nursing responsibility.

- Continuously monitor vital signs and level of consciousness.
- Observe for signs of internal bleeding, respiratory distress, or neurological deterioration.
- Ensure proper positioning to maintain airway and prevent further injury.
- Maintain spinal precautions and immobilization as required.

Early detection of changes allows timely medical intervention.

### **Medication Administration and Emergency Interventions**

Medical nurses implement prescribed treatments efficiently.

- Administer emergency medications such as analgesics, antibiotics, sedatives, and vasopressors.
- Initiate intravenous fluids and blood transfusions as ordered.
- Assist in emergency procedures such as intubation, chest tube insertion, and wound management.
- Prepare and maintain emergency equipment.

Accurate medication administration reduces complications and improves outcomes.

### **Wound Care and Infection Control**

Nurses play a major role in preventing infection.

- Clean, dress, and monitor wounds using sterile techniques.
- Maintain strict infection control protocols.
- Monitor for signs of infection or sepsis.

Effective wound care supports healing and patient safety.



## **Pain Management and Comfort Care**

Managing pain is a critical nursing responsibility.

- Assess pain levels using standardized pain scales.
- Administer pain-relief medications as prescribed.
- Use non-pharmacological methods to reduce discomfort.
- Provide reassurance and emotional support.

Pain control improves patient cooperation and recovery.

## **Coordination and Communication**

Medical nurses coordinate trauma care.

- Communicate patient status to doctors, radiology staff, and physiotherapists.
- Assist in organizing diagnostic tests and procedures.
- Ensure accurate documentation of assessments, interventions, and patient responses.

Effective communication ensures continuity and quality of care.

## **Support for Patients and Families**

Trauma affects both patients and families.

- Provide clear information and reassurance.
- Offer emotional support during critical moments.
- Act as patient advocates.

Compassionate care is essential in trauma management.

## **Preparation for Transfer or Further Care**

As the patient stabilizes, nurses prepare for transition.

- Assist in transferring the patient to ICU, operation theatre, or ward.
- Ensure all lines, monitors, and documentation accompany the patient.
- Provide structured handover to receiving healthcare teams.

Safe transfer prevents errors and ensures continuity of care.

## **Importance of the Medical Nurse's Role in Acute Trauma Care**

The medical nurse's role is vital because they:

- Ensure continuous patient monitoring



- Implement timely interventions
- Coordinate multidisciplinary care
- Promote patient safety and comfort

Their constant presence makes them central to trauma care success.

## Conclusion

In the acute care phase of trauma management, the medical nurse plays a crucial role in stabilizing the patient, monitoring vital signs, administering treatments, preventing infection, managing pain, and coordinating care among healthcare professionals. Through vigilant observation, rapid response, and compassionate support, medical nurses significantly influence trauma outcomes and patient recovery. Their role is essential in ensuring safe, effective, and high-quality trauma care.

## Recovery and Rehabilitation Phase: Role of Physiotherapy

The recovery and rehabilitation phase begins once a trauma patient is medically stabilized and life-threatening conditions have been managed. This phase focuses on restoring physical function, preventing long-term disability, and improving the patient's quality of life. Physiotherapy plays a vital role during this stage by promoting early mobilization, functional independence, and holistic recovery after traumatic injuries.

## Early Physiotherapy Intervention

Early initiation of physiotherapy is crucial for optimal recovery.

- Begins as soon as the patient is medically stable, even in intensive care units.
- Prevents complications such as joint stiffness, muscle wasting, pressure sores, and respiratory infections.
- Encourages gentle movements and positioning techniques to maintain mobility.

Early intervention shortens hospital stay and enhances recovery outcomes.

## Assessment and Goal Setting

Physiotherapists conduct detailed functional assessments.

- Evaluate range of motion, muscle strength, balance, coordination, and endurance.
- Assess pain levels, posture, gait, and functional limitations.
- Identify short-term and long-term rehabilitation goals based on injury type and patient needs.

Individualized assessment ensures patient-centered rehabilitation planning.



## **Restoration of Mobility and Function**

Physiotherapy focuses on regaining independence.

- Design exercise programs to improve strength, flexibility, and joint mobility.
- Use gait training, balance exercises, and functional activities.
- Assist patients in relearning daily activities such as walking, sitting, and transferring.

Functional rehabilitation supports safe return to normal activities.

## **Respiratory Physiotherapy**

Trauma patients often experience respiratory complications.

- Perform breathing exercises to improve lung capacity.
- Use chest physiotherapy to prevent pneumonia and atelectasis.
- Assist patients on ventilators or with chest injuries.

Respiratory care is essential for overall recovery.

## **Pain Management and Injury Protection**

Physiotherapists contribute to pain reduction.

- Apply therapeutic modalities such as heat, cold, and manual therapy.
- Teach proper movement techniques to avoid re-injury.
- Educate patients on posture and ergonomics.

Pain control enhances participation in rehabilitation.

## **Long-Term Rehabilitation and Disability Prevention**

Physiotherapy supports long-term recovery.

- Provide rehabilitation for fractures, spinal injuries, head injuries, and amputations.
- Prevent secondary complications and permanent disability.
- Promote strength, endurance, and psychological confidence.

Long-term therapy improves independence and quality of life.

## **Patient and Family Education**

Education is a key physiotherapy role.

- Teach home exercise programs.
- Guide family members on safe patient handling and support.



- Encourage adherence to rehabilitation plans.

### **Medication Management: Role of Pharmacy**

Pharmacy professionals play a vital role in ensuring safe and effective medication therapy during trauma management.

- Prepare and dispense emergency drugs such as analgesics, antibiotics, sedatives, and anticoagulants.
- Ensure correct drug dosage, interactions, and contraindications.
- Support medication safety through drug monitoring and review.
- Manage stock and availability of life-saving medicines in emergency departments.
- Provide guidance to healthcare teams regarding drug compatibility and side effects.
- Monitor antibiotic stewardship to prevent resistance and infections.

Pharmacy involvement ensures rational drug use, reduces medication errors, and enhances patient safety.

### **Interdisciplinary Collaboration in Trauma Management**

Trauma management is a complex, time-sensitive process that requires the coordinated efforts of multiple healthcare professionals. Interdisciplinary collaboration refers to the systematic cooperation among different healthcare disciplines to deliver comprehensive, efficient, and patient-centered trauma care. In trauma settings, collaboration among **paramedics, radiology professionals, medical nurses, physiotherapists, doctors, and other specialists** is essential for improving survival rates, reducing complications, and promoting long-term recovery.



Trauma care cannot be effectively managed by a single department; instead, it requires seamless integration across pre-hospital care, emergency diagnosis, acute treatment, and rehabilitation.

### **Importance of Interdisciplinary Collaboration in Trauma Care**

Trauma patients often present with multiple injuries affecting different body systems. Interdisciplinary collaboration ensures:

- Rapid and accurate assessment
- Timely life-saving interventions
- Continuity of care across all trauma phases
- Reduction in medical errors
- Improved functional and psychological recovery

This teamwork transforms trauma care into a coordinated and efficient process.

### **Collaboration Across Different Phases of Trauma Management**

#### **Pre-Hospital to Hospital Transition**

- **Paramedics** provide early stabilization and communicate injury details to the hospital team.
- **Medical nurses and emergency staff** prepare for immediate intervention based on pre-hospital information.

Effective communication ensures readiness before patient arrival, saving critical time.

#### **Emergency and Diagnostic Collaboration**

- **Radiology professionals** perform rapid imaging to identify internal injuries.
- **Doctors and nurses** interpret findings to prioritize treatment.
- **Clear communication** between radiology and emergency teams ensures accurate and timely decisions.

This collaboration supports rapid diagnosis and prevents missed injuries.

#### **Acute Care and Treatment Coordination**

- **Medical nurses** continuously monitor patients and coordinate treatments.
- **Doctors** lead clinical decision-making and emergency procedures.
- **Radiology** provides follow-up imaging to assess treatment effectiveness.



Teamwork ensures patient stability and safe progression of care.

### **Rehabilitation and Recovery Collaboration**

- **Physiotherapists** design rehabilitation programs based on injury severity and imaging findings.
- **Nurses** support mobility training and ongoing patient education.
- **Doctors** evaluate recovery progress and adjust treatment plans.

This collaboration ensures functional recovery and reduces long-term disability.

### **Key Elements of Effective Interdisciplinary Collaboration**

#### **Clear Communication**

- Accurate handover between teams
- Use of standardized communication tools
- Timely sharing of patient updates

Clear communication reduces errors and improves patient safety.

#### **Defined Roles and Responsibilities**

- Each professional understands their specific duties
- Avoids duplication of work or missed responsibilities
- Promotes accountability and efficiency

Role clarity enhances teamwork effectiveness.

#### **Shared Decision-Making**

- Treatment decisions are based on combined expertise
- Encourages evidence-based and patient-centered care
- Supports ethical and transparent clinical practice

Shared decisions improve clinical outcomes.

#### **Mutual Respect and Trust**

- Acknowledging the value of each discipline
- Encouraging open discussion and reporting concerns
- Creating a supportive work environment

Trust strengthens collaboration and reduces workplace stress.



## Use of Protocols and Guidelines

- Trauma care pathways
- Emergency response protocols
- Rehabilitation guidelines

Standardized protocols align team actions and improve consistency.

## Impact of Interdisciplinary Collaboration on Trauma Outcomes

Effective collaboration leads to:

- Reduced trauma mortality
- Faster diagnosis and treatment
- Fewer complications and medical errors
- Shorter hospital stays
- Improved physical and psychological recovery

Patients benefit from holistic and continuous care.

## Challenges in Interdisciplinary Trauma Care

Despite its importance, collaboration may face challenges such as:

- Communication gaps
- Hierarchical barriers
- Time pressure in emergencies
- Resource limitations

Addressing these challenges through training and teamwork culture is essential.

## Conclusion

Interdisciplinary collaboration is the cornerstone of effective trauma management, ensuring that patients receive timely, accurate, and comprehensive care across all stages of treatment. From the pre-hospital phase led by paramedics, through emergency diagnosis supported by radiology, acute care coordinated by medical nurses, and long-term recovery guided by physiotherapy, each discipline contributes essential expertise to the trauma care continuum. No single professional can manage trauma independently; instead, optimal outcomes depend on coordinated teamwork, clear communication, and shared clinical decision-making.

Effective collaboration reduces trauma-related mortality, minimizes complications, shortens hospital stays, and improves functional recovery and quality of life for patients. Standardized



protocols, role clarity, mutual respect, and continuous information sharing further strengthen trauma care systems. In modern healthcare, interdisciplinary collaboration is not only a best practice but a critical requirement for delivering high-quality, patient-centered, and evidence-based trauma care.

## References

1. World Health Organization. *Guidelines for Trauma Quality Improvement Programmes*. WHO Press, Geneva.
2. American College of Surgeons. *Advanced Trauma Life Support (ATLS): Student Course Manual*. ACS, Chicago.
3. Cameron, P., et al. (2018). *Textbook of Adult Emergency Medicine*. Elsevier, Australia.
4. Tintinalli, J. E., et al. (2020). *Tintinalli's Emergency Medicine: A Comprehensive Study Guide*. McGraw-Hill Education, USA.
5. Peden, M., et al. (2004). *World Report on Road Traffic Injury Prevention*. World Health Organization.
6. O'Sullivan, S. B., & Schmitz, T. J. (2017). *Physical Rehabilitation*. F.A. Davis Company, USA.
7. Association of periOperative Registered Nurses (AORN). *Guidelines for Emergency and Trauma Nursing Practice*. AORN, USA.
8. American College of Emergency Physicians (ACEP). *Trauma Care Systems and Guidelines*. ACEP, USA.